

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of	of the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	BCAHV	
Container size	20g, 50g, 100G, 500G	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Adhesive.	
1.3. Details of the supplier of the safety data sheet		
Supplier	Bondloc UK Ltd Unit 2 Bewdley Business Park Long Bank Bewdley Worcestershire DY12 2TZ +44 (0)1299 269269 +44 (0)1299 269210 sales@bondloc.co.uk	
1.4. Emergency telephone	number	
Emergency telephone	+44 (0)1299 269269	
SECTION 2: Hazards identification		
2.1. Classification of the su	bstance or mixture	
Classification (EC/1272/200	08)	
Physical hazards	Not Classified	
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335	
Environmental hazards	Not Classified	
2.2. Label elements		
Pictogram		
Signal word	Warning	
Hazard statements	H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.	

Precautionary statements	<ul> <li>P261 Avoid breathing vapour/ spray.</li> <li>P264 Wash contaminated skin thoroughly after handling.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P312 Call a POISON CENTER/ doctor if you feel unwell.</li> <li>P321 Specific treatment (see medical advice on this label).</li> <li>P332+P313 If skin irritation occurs: Get medical advice/ attention.</li> <li>P362+P364 Take off contaminated clothing and wash it before reuse.</li> <li>P403+P233 Store in a well-ventilated place. Keep container tightly closed.</li> <li>P405 Store locked up.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>	
Supplemental label information	EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.	
Contains	ethyl 2-cyanoacrylate	
2.3. Other hazards Other hazards		
SECTION 3: Composition/info	rmation on ingredients	
3.2. Mixtures		
ethyl 2-cyanoacrylate CAS number: 7085-85-0	60-100% EC number: 230-391-5	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335		
The full text for all hazard statements is displayed in Section 16.		
General chemical description:		
Declaration of the ingredients according to CLP (EC) No 1272/2008:		

## **SECTION 4: First aid measures**

4.1. Description of first aid measures	
General information	Get medical advice/attention if you feel unwell.
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	Ensure that breathing passages are not obstructed. The product will polymerise immediately in the mouth making it almost impossible to swallow. Saliva will slowly separate the solidified product from the mouth (several hours).

Skin contact	If adhesive bonding occurs, do not force skin apart. It may be gently peeled apart using a blunt object such as a spoon, preferably after soaking in warm soapy water. Cyanoacrylates give off heat on solidification. In rare cases a large a large drop will generate enough heat to cause a burn. Burns should be treated normally after the adhesive has been removed from the skin if lips are accidentally stuck together apply warm water to the lips and encourage maximum wetting and pressure from saliva inside the mouth. Peel or roll lips apart. Do not try to pull apart with direct opposing action.
Eye contact	If the eye is bonded closed, release eyelashes with warm water by covering with wet pad. cyanoacrylate will bond to eye protein and will cause periods of weeping which will help to de- bond the adhesive. Keep eye covered until de-bonding is complete, usually within in 1-3 days. Medical advice should be sought in case solid particles of cyanoacrylate trapped behind the eyelid cause any abrasive damage.
4.2. Most important symptoms	and effects, both acute and delayed
General information	Treat symptomatically.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Apply a pad soaked in warm water and allow the eyelids to separate. If adhesive bonding occurs, prise the skin apart slowly, working from the edge of the bonded area. Treat symptomatically.
SECTION 5: Firefighting measurements	sures
5.1. Extinguishing media	
Suitable extinguishing media	Extinguish with foam, carbon dioxide or dry powder.
5.2. Special hazards arising fr	om the substance or mixture
Specific hazards	The product is not flammable. Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended.
5.3. Advice for firefighters	
Protective actions during firefighting	Trace amounts of toxic fumes may be released on incineration and the use of breathing apparatus is recommended.
-	apparatus is recommended.
firefighting SECTION 6: Accidental release	apparatus is recommended.
firefighting SECTION 6: Accidental release	apparatus is recommended.
firefighting SECTION 6: Accidental releas 6.1. Personal precautions, pro	apparatus is recommended.  se measures  tective equipment and emergency procedures  Avoid contact with skin and eyes. Provide adequate ventilation.
firefighting SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions	apparatus is recommended.  se measures  tective equipment and emergency procedures  Avoid contact with skin and eyes. Provide adequate ventilation.
firefighting SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions 6.2. Environmental precaution	apparatus is recommended.   se measures  tective equipment and emergency procedures  Avoid contact with skin and eyes. Provide adequate ventilation.   Se The product is biodegradable.
firefighting SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions 6.2. Environmental precaution Environmental precautions	apparatus is recommended.   se measures  tective equipment and emergency procedures  Avoid contact with skin and eyes. Provide adequate ventilation.   Se The product is biodegradable.
firefighting SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions 6.2. Environmental precaution Environmental precautions 6.3. Methods and material for	apparatus is recommended.  Se measures  Avoid contact with skin and eyes. Provide adequate ventilation.  S  The product is biodegradable.  Containment and cleaning up  Provide adequate ventilation. Do not use cloths for mopping up. Polymerise with water and scrape off floor.
firefighting SECTION 6: Accidental release 6.1. Personal precautions, pro- Personal precautions 6.2. Environmental precautions 6.3. Methods and material for Methods for cleaning up	apparatus is recommended.  Se measures  Avoid contact with skin and eyes. Provide adequate ventilation.  S  The product is biodegradable.  Containment and cleaning up  Provide adequate ventilation. Do not use cloths for mopping up. Polymerise with water and scrape off floor.
firefighting SECTION 6: Accidental release 6.1. Personal precautions, pro- Personal precautions 6.2. Environmental precaution Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section	apparatus is recommended.
firefighting SECTION 6: Accidental release 6.1. Personal precautions, pro- Personal precautions 6.2. Environmental precaution Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section Reference to other sections	apparatus is recommended.
firefighting SECTION 6: Accidental release 6.1. Personal precautions, pro- Personal precautions 6.2. Environmental precaution Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section Reference to other sections SECTION 7: Handling and stor	apparatus is recommended.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store at temperatures between 2°C and 8°C.

### 7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

### SECTION 8: Exposure Controls/personal protection

#### 8.1. Control parameters

Occupational exposure limits

#### ethyl 2-cyanoacrylate

Short-term exposure limit (15-minute): WEL 0.3 ppm 1.5 mg/m<sup>3</sup> WEL = Workplace Exposure Limit

### 8.2. Exposure controls

Protective equipment



Eye/face protectionWear eye protection.Hand protectionWear protective gloves made of the following material: Polyethylene. polypropylene Do NOT<br/>use Polyvinyl chloride (PVC). Rubber (natural, latex). nylon cotton

### **SECTION 9: Physical and Chemical Properties**

9.1. Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Clear.	
Odour	Characteristic.	
Odour threshold	No information available.	
рН	Not applicable.	
Melting point	No information available.	
Initial boiling point and range	96-150°C	
Flash point	85°C	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits	No information available.	
Vapour pressure	.293 mm Hg	
Vapour density	No information available.	
Relative density	No information available.	
Solubility(ies)	Insoluble in water. Soluble in the following materials: Acetone.	
Partition coefficient	No information available.	
Auto-ignition temperature	No information available.	

Decomposition Temperature	No information available.	
	No information available.	
Explosive properties		
9.2. Other information Other information	Nene	
	None.	
Volatile organic compound	20 g/l	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	Polymerisation will occur in the presence of moisture and other basic materials.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	Polymerisation will occur in the presence of moisture and other basic materials.	
10.4. Conditions to avoid		
Conditions to avoid	None known.	
10.5. Incompatible materials		
Materials to avoid	Moisture.	
10.6. Hazardous decompositio	on products	
SECTION 11: Toxicological information		
SECTION 11: Toxicological in	formation	
SECTION 11: Toxicological in 11.1. Information on toxicolog		
-		
11.1. Information on toxicolog	ical effects	
11.1. Information on toxicolog Toxicological effects Acute toxicity - oral	i <b>cal effects</b> Considered low toxicity.	
11.1. Information on toxicologi Toxicological effects Acute toxicity - oral ATE oral (mg/kg)	ical effects Considered low toxicity. 4,198.15281276 Vapours may irritate eyes and respiratory system May cause inhalation hypersensitivity	
11.1. Information on toxicolog Toxicological effects <u>Acute toxicity - oral</u> ATE oral (mg/kg) Inhalation	ical effects Considered low toxicity. 4,198.15281276 Vapours may irritate eyes and respiratory system May cause inhalation hypersensitivity (occupational asthma) in sensitive individuals. Cyanoacrylates are considered to have relatively low toxicity. It is almost impossible to	
11.1. Information on toxicolog Toxicological effects <u>Acute toxicity - oral</u> ATE oral (mg/kg) Inhalation Ingestion	ical effects Considered low toxicity. 4,198.15281276 Vapours may irritate eyes and respiratory system May cause inhalation hypersensitivity (occupational asthma) in sensitive individuals. Cyanoacrylates are considered to have relatively low toxicity. It is almost impossible to swallow as it rapidly polymerises in the mouth.	
11.1. Information on toxicologicalToxicological effectsAcute toxicity - oralATE oral (mg/kg)InhalationIngestionSkin contact	ical effects Considered low toxicity. 4,198.15281276 Vapours may irritate eyes and respiratory system May cause inhalation hypersensitivity (occupational asthma) in sensitive individuals. Cyanoacrylates are considered to have relatively low toxicity. It is almost impossible to swallow as it rapidly polymerises in the mouth. Bonds skin and eyes in seconds. May cause skin irritation. Bonds skin and eyes in seconds. In a dry atmosphere vapours may cause irritation and lachrymatory effect.	
11.1. Information on toxicolog         Toxicological effects         Acute toxicity - oral         ATE oral (mg/kg)         Inhalation         Ingestion         Skin contact         Eye contact	ical effects         Considered low toxicity.         4,198.15281276         Vapours may irritate eyes and respiratory system May cause inhalation hypersensitivity (occupational asthma) in sensitive individuals.         Cyanoacrylates are considered to have relatively low toxicity. It is almost impossible to swallow as it rapidly polymerises in the mouth.         Bonds skin and eyes in seconds. May cause skin irritation.         Bonds skin and eyes in seconds. In a dry atmosphere vapours may cause irritation and lachrymatory effect.	
11.1. Information on toxicologi         Toxicological effects         Acute toxicity - oral         ATE oral (mg/kg)         Inhalation         Ingestion         Skin contact         Eye contact         SECTION 12: Ecological Information	ical effects Considered low toxicity. 4,198.15281276 Vapours may irritate eyes and respiratory system May cause inhalation hypersensitivity (occupational asthma) in sensitive individuals. Cyanoacrylates are considered to have relatively low toxicity. It is almost impossible to swallow as it rapidly polymerises in the mouth. Bonds skin and eyes in seconds. May cause skin irritation. Bonds skin and eyes in seconds. In a dry atmosphere vapours may cause irritation and lachrymatory effect.	
11.1. Information on toxicologi         Toxicological effects         Acute toxicity - oral         ATE oral (mg/kg)         Inhalation         Ingestion         Skin contact         Eye contact         SECTION 12: Ecological Infor         Ecotoxicity	ical effects Considered low toxicity. 4,198.15281276 Vapours may irritate eyes and respiratory system May cause inhalation hypersensitivity (occupational asthma) in sensitive individuals. Cyanoacrylates are considered to have relatively low toxicity. It is almost impossible to swallow as it rapidly polymerises in the mouth. Bonds skin and eyes in seconds. May cause skin irritation. Bonds skin and eyes in seconds. In a dry atmosphere vapours may cause irritation and lachrymatory effect.	
11.1. Information on toxicologi         Toxicological effects         Acute toxicity - oral         ATE oral (mg/kg)         Inhalation         Ingestion         Skin contact         Eye contact         SECTION 12: Ecological Infor         Ecotoxicity         12.1. Toxicity	ical effects Considered low toxicity. 4,198.15281276 Vapours may irritate eyes and respiratory system May cause inhalation hypersensitivity (occupational asthma) in sensitive individuals. Cyanoacrylates are considered to have relatively low toxicity. It is almost impossible to swallow as it rapidly polymerises in the mouth. Bonds skin and eyes in seconds. May cause skin irritation. Bonds skin and eyes in seconds. In a dry atmosphere vapours may cause irritation and lachrymatory effect.	

Persistence and degradability	The product is biodegradable.	
12.3. Bioaccumulative potentia		
Bioaccumulative potential	No data available on bioaccumulation.	
Partition coefficient	No information available.	
12.4. Mobility in soil		
Mobility	The product is insoluble in water.	
12.5. Results of PBT and vPvB	3 assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal conside	erations	
13.1. Waste treatment method	S	
General information	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	
Disposal methods	Dispose of waste product or used containers in accordance with local regulations	
SECTION 14: Transport inform	nation	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping name	9	
Not applicable.		
14.3. Transport hazard class(e	<u>s)</u>	
No transport warning sign required.		
14.4. Packing group		
Not applicable.		
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for us	ser	
Not applicable.		
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code		
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		

### EU legislation

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Dangerous Preparations Directive 1999/45/EC.

### VOC content (2010/75/EC)

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

### Inventories

### **EU - EINECS/ELINCS**

None of the ingredients are listed or exempt.

### US - TSCA 12(b) Export Notification

None of the ingredients are listed or exempt.

#### SECTION 16: Other information

Revision date	20/04/2016
SDS number	4552
Hazard statements in full	<ul> <li>H315 Causes skin irritation.</li> <li>H315 Causes skin irritation.</li> <li>H319 Causes serious eye irritation.</li> <li>H319 Causes serious eye irritation.</li> <li>H335 May cause respiratory irritation.</li> <li>H335 May cause respiratory irritation.</li> </ul>

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product.

WARRANTY: All products purchased from or supplied by Bondloc are subject to terms and conditions set out in the contract. Bondloc warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by Bondloc is consider accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. Bondloc makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.