

Revision Date 18.01.2019

Version 0.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

SikaHyflex[®]-250 Façade

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use : Sealant/adhesive

1.3 Details of the supplier of the safety data sheet

Company name of supplier	:	Sika Limited Watchmead Welwyn Garden City Hertfordshire. AL7 1BQ
Telephone	:	+44 (0)1707 394444
Telefax	:	+44 (0)1707 329129
E-mail address of person responsible for the SDS	:	EHS@uk.sika.com

1.4 Emergency telephone number

+44 (0)1707 363899 (available during office hours).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)	
---	--

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

2.2 Label elements

Labelling (REGULATION Hazard pictograms	(EC) :	No 1272/2008)	
Signal word	:	Warning	
Hazard statements	:	H317	May cause an allergic skin reaction.
Precautionary statements	:	P101	If medical advice is needed, have product container or label at hand.
		P102	Keep out of reach of children.
		Prevention:	
		P261	Avoid breathing dust/ fume/ gas/ mist/ va- pours/ spray.
		P280	Wear protective gloves.

Print Date 18.01.2019

Revision Date 18.01.2019

Version 0.0

Response: P302 + P352	IF ON SKIN: Wash with plenty of water.
Disposal:	
P501	Dispose of contents/container in accordance with local regulation.

Hazardous components which must be listed on the label:

- Hardener LI (Isophoronedialdimine)
- Pentamethyl piperidylsebacate

Additional Labelling

EUH204 Contains isocyanates. May produce an allergic reaction.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Urea,N,N"-(methylenedi-4,1- phenylene)bis[N'-butyl-	77703-56-1 416-600-4 01-0000016345-72- XXXX	Aquatic Chronic 4; H413	>= 2,5 - < 5
Hardener LI (Isophoronedial- dimine)	932742-30-8 700-071-4 01-2119880654-28- XXXX	Skin Sens. 1B; H317 Aquatic Chronic 3; H412	>= 0,25 - < 1
Pentamethyl piperidylsebacate Contains: bis(1,2,2,6,6-pentamethyl-4- piperidyl) sebacate methyl 1,2,2,6,6-pentamethyl-4- piperidyl sebacate	1065336-91-5 915-687-0 01-2119491304-40- XXXX	Skin Sens. 1A; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,1 - < 0,25

SECTION 4: First aid measures

4.1 Description of first aid measures

:

General advice

Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance.



Revision Date 18.01.2019	Version 0.0	Print Date 18.01
If inhaled	: Move to fresh air. Consult a physician after significant exposu	ıre.
In case of skin contact	: Take off contaminated clothing and shoes i Wash off with soap and plenty of water. If symptoms persist, call a physician.	mmediately.
In case of eye contact	 Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist. 	
If swallowed	 Do not induce vomiting without medical adv Rinse mouth with water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconstruction 	
4.2 Most important symptoms and	l effects, both acute and delayed	
Symptoms	 Allergic reactions See Section 11 for more detailed informatic and symptoms. 	on on health effects
Risks	: sensitising effects	
	May cause an allergic skin reaction.	
4.3 Indication of any immediate m	edical attention and special treatment need	led
Treatment	: Treat symptomatically.	
SECTION 5: Firefighting measu	ures	
5.1 Extinguishing media		
Suitable extinguishing media	: In case of fire, use water/water spray/water ide/sand/foam/alcohol resistant foam/chem	

5.2 Special hazards arising from the substance or mixture

Hazardous combustion prod-	:	No hazardous combustion products are known	
ucts			

extinction.

5.3 Advice for firefighters

Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus.
Further information	:	Standard procedure for chemical fires.

SikaHyflex®-250 Façade

Print Date 18.01.2019

Revision Date 18.01.2019

Version 0.0

SECTION 6: Accidental release measures

• • •	e equipment and emergency procedures Use personal protective equipment. Deny access to unprotected persons.
6.2 Environmental precautions Environmental precautions :	Do not flush into surface water or sanitary sewer system.
6.3 Methods and material for contai Methods for cleaning up :	

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	Do not breathe vapours or spray mist. Avoid exceeding the given occupational exposure limits (see section 8). Do not get in eyes, on skin, or on clothing. For personal protection see section 8. Persons with a history of skin sensitisation problems or asth- ma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used. Smoking, eating and drinking should be prohibited in the ap- plication area. Follow standard hygiene measures when handling chemical products
Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Hygiene measures	:	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.
7.2 Conditions for safe storage, i	incl	luding any incompatibilities
Requirements for storage areas and containers	:	Keep container tightly closed in a dry and well-ventilated place. Store in accordance with local regulations.
Further information on stor-	:	No decomposition if stored and applied as directed.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaHyflex[®]-250 Façade



Revision Date 18.01.2019

Version 0.0

age stability

7.3 Specific end use(s)

Specific use(s)

: Consult most current local Product Data Sheet prior to any use.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment				
Eye protection :	Safety glasses with side-shields conforming to EN166 Eye wash bottle with pure water			
Hand protection :	Chemical-resistant, impervious gloves complying with an ap- proved standard must be worn at all times when handling chemical products. Reference number EN 374. Follow manu- facturer specifications.			
	Suitable for short time use or protection against splashes: Butyl rubber/nitrile rubber gloves (0,4 mm) Contaminated gloves should be removed. Suitable for permanent exposure: Viton gloves (0.4 mm), breakthrough time >30 min.			
Skin and body protection :	Protective clothing (e.g. Safety shoes acc. to EN ISO 20345, long-sleeved working clothing, long trousers). Rubber aprons and protective boots are additionaly recommended for mixing and stirring work.			
Respiratory protection :	No special measures required.			
Environmental exposure controls				
-	Do not flush into surface water or sanitary sewer system.			

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	paste
Colour	:	various
Odour	:	characteristic
Odour Threshold	:	No data available

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

SikaHyflex[®]-250 Façade



Revision Date 18.01.2019		Version 0.0	Print Date 18.01.2019
рН	:	No data available	
Melting point/range / Freezing point	:	No data available	
Boiling point/boiling range	:	No data available	
Flash point	:	> 101 °C Method: closed cup	
Evaporation rate	:	No data available	
Flammability (solid, gas)	:	No data available	
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	0,01 hPa	
Relative vapour density	:	No data available	
Density	:	ca. 1,33 g/cm3 (20 °C)	
Solubility(ies) Water solubility	:	insoluble	
Solubility in other solvents	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	:	ca. 100.000 mPa.s (20 °C)	
Viscosity, kinematic	:	> 20,5 mm2/s (40 °C)	
Explosive properties	:	No data available	
Oxidizing properties	:	No data available	
9.2 Other information			

No data available

Revision Date 18.01.2019

Version 0.0



SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.

10.4 Conditions to avoid

Conditions to avoid : Avoid moisture.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Components:

Hardener LI (Isophoronedialdimine):					
Acute oral toxicity	: LD50 Oral (Rat): > 2.000 mg/kg				
Acute dermal toxicity	: LD50 Dermal (Rabbit): > 2.000 mg/kg				
Pentamethyl piperidylseba	Pentamethyl piperidylsebacate:				
Acute oral toxicity	: LD50 Oral (Rat): 3.230 mg/kg				
Skin corrosion/irritation					
Not classified based on available information.					
Serious eye damage/eye irritation					
Not classified based on available information.					
– • · · · · · · · · · ·	4				

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Revision Date 18.01.2019

Version 0.0



Respiratory sensitisationNot classified based on available information.Germ cell mutagenicityNot classified based on available information.CarcinogenicityNot classified based on available information.Reproductive toxicityNot classified based on available information.STOT - single exposureNot classified based on available information.STOT - repeated exposureNot classified based on available information.STOT - repeated exposureNot classified based on available information.Stort - repeated exposureNot classified based on available information.Mot classified based on available information.Aspiration toxicityNot classified based on available information.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Urea,N,N"-(methylenedi-4,1-phenylene)bis[N'-butyl-:			
Toxicity to fish :	LC50 (Brachydanio rerio (zebrafish)): > 250 mg/l Exposure time: 96 h		
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h		
Toxicity to algae :	EC50 (Raphidocelis subcapitata (freshwater green alga)): > 100 mg/l Exposure time: 72 h		
Hardener LI (Isophoronedialdimine):			
Toxicity to fish	LC50 (Fish): 87,2 mg/l Exposure time: 96 h		
Toxicity to daphnia and other : aquatic invertebrates	EC50 (Daphnia (water flea)): > 100 mg/l Exposure time: 48 h		
Toxicity to algae :	EC50 (Desmodesmus subspicatus (green algae)): 180,4 mg/l Exposure time: 72 h		
Pentamethyl piperidylsebacate:			
	LC50 (Fish): 0,97 mg/l Exposure time: 96 h		

Print Date 18.01.2019

Revision Date 18.01.2019

Version 0.0

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological infor-	:	There is no data available for this product.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product	The generation of waste should be avoided or mi wherever possible. Empty containers or liners may retain some prod This material and its container must be disposed way. Dispose of surplus and non-recyclable products w waste disposal contractor. Disposal of this product, solutions and any by-pro at all times comply with the requirements of envir protection and waste disposal legislation and any local authority requirements. Avoid dispersal of spilled material and runoff and soil, waterways, drains and sewers.	uct residues. of in a safe via a licensed oducts should onmental v regional
European Waste Catalogue	08 04 09* waste adhesives and sealants contain solvents or other dangerous substances	ing organic
Contaminated packaging	15 01 10* packaging containing residues of or co by dangerous substances	ntaminated

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

Revision Date 18.01.2019

Version 0.0



14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es) Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards Not regulated as a dangerous good

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture International Chemical Weapons Convention (CWC) Not applicable Schedules of Toxic Chemicals and Precursors REACH - Candidate List of Substances of Very High None of the components are listed • Concern for Authorisation (Article 59). (=> 0.1 %).REACH - List of substances subject to authorisation Not applicable 2 (Annex XIV) Regulation (EC) No 1005/2009 on substances that de-2 Not applicable plete the ozone layer Regulation (EC) No 850/2004 on persistent organic pol-Not applicable 1 lutants Regulation (EC) No 649/2012 of the European Parlia-2 Not applicable ment and the Council concerning the export and import of dangerous chemicals REACH - Restrictions on the manufacture, placing on Conditions of restriction for the fol-÷ the market and use of certain dangerous substances, lowing entries should be considered: Number on list 3 preparations and articles (Annex XVII) 1,2-Benzenedicarboxylic acid, di-C9-11-branched alkyl esters, C10-rich (Number on list 52) **REACH** Information: All substances contained in our Products are - registered by our upstream suppliers, and/or - registered by us, and/or

- excluded from the regulation, and/or
- exempted from the registration.



Revision Date 18.01.2019

Version 0.0

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Volatile organic compounds : Law on the incentive tax for volatile organic compounds (VOCV) no VOC duties

> Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Not applicable

If other regulatory information applies that is not already provided elsewhere in the Safety Data Sheet, then it is described in this subsection.

Health, safety and environ- mental regulation/legislation	Environmental Protection Act 1990 & Subsidiary Regulations Health and Safety at Work Act 1974 & Subsidiary Regulations
specific for the substance or	Control of Substances Hazardous to Health Regulations
mixture:	(COSHH) May be subject to the Control of Major Accident Hazards
	Regulations (COMAH), and amendments.

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

SECTION 16: Other information

Full text of H-Statements H317 H400 H410 H412 H413	: : : : : : : : : : : : : : : : : : : :	May cause an allergic skin reaction. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. May cause long lasting harmful effects to aquatic life.	
Full text of other abbreviations			
Aquatic Acute Aquatic Chronic Skin Sens. ADR CAS DNEL EC50 GHS IATA IMDG LD50	:	Short-term (acute) aquatic hazard Long-term (chronic) aquatic hazard Skin sensitisation European Agreement concerning the International Carriage of Dangerous Goods by Road Chemical Abstracts Service Derived no-effect level Half maximal effective concentration Globally Harmonized System International Air Transport Association International Maritime Code for Dangerous Goods	
LD50	:	Median lethal dosis (the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals)	



Revision Date 18.01.2019	Version 0.0	Print Date 18.01
LC50 :	Median lethal concentration (concentrations o air that kills 50% of the test animals during the period)	
MARPOL :	International Convention for the Prevention of Ships, 1973 as modified by the Protocol of 19	
OEL :	Occupational Exposure Limit	
PBT :	Persistent, bioaccumulative and toxic	
PNEC :	Predicted no effect concentration	
REACH :	Regulation (EC) No 1907/2006 of the Europea and of the Council of 18 December 2006 cond istration, Evaluation, Authorisation and Restric cals (REACH), establishing a European Chen	cerning the Reg- ction of Chemi-
SVHC :	Substances of Very High Concern	5 5
vPvB :	Very persistent and very bioaccumulative	
Further information		
Classification of the mixture:	Classification proce	edure:

Classification of the	Classification procedure.	
Skin Sens. 1	H317	Calculation method

The information contained in this Safety Data Sheet corresponds to our level of knowledge at the time of publication. All warranties are excluded. Our most current General Sales Conditions shall apply. Please consult the product data sheet prior to any use and processing.

Changes as compared to previous version !

GB / EN